

PHILIPS

LIGHT PLUS

PRODUCT CATALOGUE 2024



PRIME PLUS ULTRAGLOW

Bright Downlights, solid performance

WATTAGE	LUMENS	COLORS	SHAPE	CUTOUT (mm)	CUTOUT (inch)	MRP (in Rs.)
5W	500	CW/NW/WW	R,SQ	75mm	2.95 inch	615/-
10W	1000	CW/NW/WW	R,SQ	110 mm	4.33 inch	895/-
12W	1200	CW/NW/WW	R,SQ	140 mm	5.51 inch	1000/-
15W	1500	CW/NW/WW	R,SQ	152.4 mm	6 inch	1080/-
22W	2200	CW/NW/WW	R,SQ	188 mm	7.4 inch	1830/-



SPECIFICATIONS

- light output of **100 lm/Watt**
- Superior light quality, no dark spots
- Longer life ; 25,0000+ hrs burning hours
- Polycarbonate Housing
- Surge protection upto 3 kV
- Anti Glare diffuser delivers superior eye comfort

Warm White
2700K – 3000K

Natural White
4000K – 5000K

Cool White
5500K – 6500K

Warm white / Golden Yellow/
Yellow

Comfortable light ideal for all
areas of a house - particularly
living rooms & bedrooms

Natural white/ Off-white

Sharper light replicating daylight.
Practical for bathrooms, pantries &
work areas

Cool White/Crystal White/Cool
Day Light

Artificially whiter light useful for
reading, work areas, laundries &
garages



HSN Code: 94051090



ULTRAGLOW 3 - IN - 1

Bright Downlights, solid performance


WATTAGE	LUMENS	SHAPE	CUTOUT (mm)	CUTOUT (inch)	MRP (in Rs.)
10W	1000	R,SQ	110 mm	4.33 inch	930/-
15W	1500	R,SQ	152.4 mm	6 inch	1200/-



SPECIFICATIONS

- light output of **100 lm/Watt**
- Superior light quality, no dark spots
- Longer life ; 25,0000+ hrs burning hours
- Polycarbonate Housing
- Surge protection upto 3 kV
- Anti Glare diffuser delivers superior eye comfort
- Eye Comfort technology

Choose the right light for your home




HSN Code: 94051090

PRIME PLUS HEXASTYLE

Bright Downlights, solid performance

WATTAGE	LUMENS	COLORS	CUTOUT (mm)	CUTOUT (inch)	MRP (in Rs.)
5W	350	CW/NW/WW	75mm	2.95 inch	615/- (fits in 3 inch junction box)
8W	1000	CW/NW/WW	100 mm	3.9 inch	750/-
12W	1200	CW/NW/WW	150 mm	5.91 inch	1025/-
15W	1500	CW/NW/WW	150 mm	5.9 inch	1150/-




SPECIFICATIONS

- light output of **100 lm/Watt**
- New hexagonal design
- Longer life ; 25,0000+ hrs burning hours
- Polycarbonate Housing
- Fits Regular cut - out

Create a truly personalized experience

It's time to reimagine your world with **HexaStyle Downlights**. Enjoy complete creative freedom by arranging the **HexaStyle Downlights** in any pattern and configuration, to design your space your way!



HSN Code: 94051090



ASTRA METTALICA

Extremely bright, supremely strong

WATTAGE	LUMENS	COLORS	SHAPE	CUTOUT (mm)	CUTOUT (inch)	MRP (in Rs.)
5W	500	CW/NW/WW	R,SQ	80 mm	3.15 inch	700/- (fits in 3 inch junction box)
10W	1000	CW/NW/WW	R,SQ	136 mm	5.35 inch	1400/-
15W	1500	CW/NW/WW	R,SQ	159 mm	6.26 inch	1900/-
18W	1800	CW/NW/WW	R,SQ	178 mm	7.00 inch	2100/-



SPECIFICATIONS

- light output of **100 lm/Watt**
- Surge protection of 2 kV / BIS certified
- Longer life ; 25,0000+ hrs burning hours
- Premium aluminium metal housing
- Wide Voltage protection (160 V - 360 V)
- Junction box fitting available : 5w
- Eye Comfort technology

Warm White
2700K – 3000K



Warm white / Golden Yellow/ Yellow

Comfortable light ideal for all areas of a house - particularly living rooms & bedrooms

Natural White
4000K – 5000K



Natural white/ Off-white

Sharper light replicating daylight. Practical for bathrooms, pantries & work areas

Cool White
5500K – 6500K



Cool White/Crystal White/Cool Day Light

Artificially whiter light useful for reading, work areas, laundries & garages



HSN Code: 94051090



ASTRAMAX

Extremely bright, supremely strong

WATTAGE	LUMENS	COLORS	SHAPE	CUTOUT (mm)	CUTOUT (inch)	MRP (in Rs.)
5W	500	CW/NW/WW	R,SQ	80 mm	3.15 inch	600/-
10W	1000	CW/NW/WW	R,SQ	136 mm	5.35 inch	900/--
15W	1500	CW/NW/WW	R,SQ	159 mm	6.26 inch	1345/-
18W	1800	CW/NW/WW	R,SQ	178 mm	7.00 inch	1500/-




SPECIFICATIONS

- light output of **70 lm/Watt**
- Surge protection of 2.5 kV / BIS certified
- Longer life ; 25,0000+ hrs burning hours
- Premium aluminium metal housing
- Eye Comfort technology



Warm white / Golden Yellow/ Yellow

Comfortable light ideal for all areas of a house - particularly living rooms & bedrooms



Natural white/ Off-white

Sharper light replicating daylight. Practical for bathrooms, pantries & work areas



Cool White/Crystal White/Cool Day Light

Artificially whiter light useful for reading, work areas, laundries & garages




HSN Code: 94051090



AURASTYLE EDGE

LED DOWNLIGHTER - DEEP RECESSED

WATTAGE	LUMENS	COLORS	SHAPE	CUTOUT (mm)	CUTOUT (inch)	MRP (in Rs.)
7W	630	CW/NW/WW	R	100 mm	3.94 inch	1730/-
10W	900	CW/NW/WW	R	110 mm	4.33 inch	1730/-
15W	1420	CW/NW/WW	R	137 mm	5.39 inch	2470/-
5W	1800	CW/NW/WW	R	78 mm	3.07 inch	1500/-



HSN Code: 94051090



FULL GLOW

SURFACE PANEL LIGHT

WATTAGE	LUMENS	COLORS	SHAPE	CUTOUT (mm)	CUTOUT (inch)	MRP (in Rs.)
6W	600	CW/NW/WW	R,SQ	102 mm x 102 mm	4 inch x 4 inch	775/-
12W	1200	CW/NW/WW	R,SQ	145 mm x 145 mm	5.7 inch x 5.7 inch	1200/-
15W	1500	CW/NW/WW	R,SQ	145 mm x 145 mm	5.7 inch x 5.7 inch	1275/-
18W	1800	CW/NW/WW	R,SQ	200 mm x 200 mm	7.87 inch x 7.87 inch	1750/-
24W	2400	CW/NW/WW	R,SQ	200 mm x 200 mm	7.87 inch x 7.87 inch	2450/-




SPECIFICATIONS

- Brightest synthetic surface spot with 100 lm/watt output
- Full Glow diffuser ; 270 degrees
- Robust rimless design
- 29 mm height
- Modularity in mounting bracket, can be mounted on surface as well as junction box



Warm white / Golden Yellow/ Yellow

Comfortable light ideal for all areas of a house - particularly living rooms & bedrooms



Natural white/ Off-white

Sharper light replicating daylight. Practical for bathrooms, pantries & work areas



Cool White/Crystal White/Cool Day Light

Artificially whiter light useful for reading, work areas, laundries & garages



HSN Code: 94051090



FULL GLOW 3 - in - 1

SURFACE PANEL LIGHT

WATTAGE	LUMENS	SHAPE	Dimension (in mm)	Dimension (in inch)	MRP (in Rs.)
15w	1500	R,SQ	145 mm x 145 mm	5.7 inch x 5.7 inch	1375/-

3 in 1

3 Light Settings
(CDL, NW, WW)

Slim Design

200% Better
Light Spread

15W

1500Lm^

100Lm/Watt

EyeComfort
Technology*

2

YEARS

WARRANTY

SPECIFICATIONS

- Brightest synthetic surface spot with 100 lm/watt output
- Full Glow diffuser ; 270 degrees
- Robust rimless design
- 29 mm height
- Modularity in mounting bracket, can be mounted on surface as well as junction box



HSN Code: 94051090



ASTRASLOT COB

Focused spotlight (tiltable)

WATTAGE	LUMENS	COLORS	SHAPE	CUTOUT (mm)	CUTOUT (inch)	MRP (in Rs.)
3w	500	CW/NW/WW	R	64 mm	2.52 inch	615/-
7w	475	CW/NW/WW	R	77 mm	3.0 inch	1245/-
12w	900	CW/NW/WW	R	92 mm	3.62 inch	1640/-
20w	1500	CW/NW/WW	R	110 mm	4.33 inch	2550/-



SPECIFICATIONS

- Strong focused beam (36 degree)
- Adjustable/tiltable head (25 degree)
- Metal heat sink for durable performance
- Long life leds for durable performance
- Eye Comfort technology

Warm White
2700K – 3000K



Warm white / Golden Yellow/ Yellow

Comfortable light ideal for all areas of a house - particularly living rooms & bedrooms

Natural White
4000K – 5000K



Natural white/ Off-white

Sharper light replicating daylight. Practical for bathrooms, pantries & work areas

Cool White
5500K – 6500K



Cool White/Crystal White/Cool Day Light

Artificially whiter light useful for reading, work areas, laundries & garages



HSN Code: 94051090



GLIDESPOT COB

COLOR COB

WATTAGE	LUMENS	COLORS	SHAPE	CUTOUT (mm)	CUTOUT (inch)	MRP (in Rs.)
7w	475	CW/NW/WW	R	67 mm	2.64 inch	1550/-
12w	900	CW/NW/WW	R	81 mm	3.19 inch	1980/-



Chrome



Silver



Black



Rose Gold

SPECIFICATIONS

- Strong focused beam (50 degree)
- Adjustable/tiltable head (30 degree)
- Metal heat sink for durable performance
- Long life leds for durable performance
- Eye Comfort technology
- Available in 4 colors : Rose gold, Black, Silver, Chrome

ASTRASpot COB 3 - in 1

Focused spotlight (tiltable)

WATTAGE	LUMENS	SHAPE	CUTOUT (mm)	CUTOUT (inch)	MRP (in Rs.)
7w	385	R	67 mm	2.64 inch	1700/-
12w	900	R	92 mm	3.62 inch	2300/-



SPECIFICATIONS

- Strong focused beam (36 degree)
- Adjustable/tiltable head (25 degree)
- Metal heat sink for durable performance
- Eye Comfort technology
- 20,000 hours + burning time
- No harmful UV / UB rays



HSN Code: 94051090



ASTRASPOT COB

Focused spotlight

WATTAGE	LUMENS	COLORS	SHAPE	CUTOUT (mm)	CUTOUT (inch)	MRP (in Rs.)
1w	60	CW/NW/WW	R	27 mm	1.06 inch	250/-
2w	100	CW/NW/WW	R	35 mm	1.38 inch	245/-
3w	200	CW/NW/WW	R	52 mm	2.0 inch	570/-



SPECIFICATIONS

- Strong focused beam (30 degree)
- Metal heat sink for durable performance
- Long life leds for durable performance
- Eye Comfort technology


Warm White
2700K – 3000K



Warm white / Golden Yellow/ Yellow

Comfortable light ideal for all areas of a house - particularly living rooms & bedrooms

Natural White
4000K – 5000K



Natural white/ Off-white

Sharper light replicating daylight. Practical for bathrooms, pantries & work areas

Cool White
5500K – 6500K



Cool White/Crystal White/Cool Day Light

Artificially whiter light useful for reading, work areas, laundries & garages



HSN Code: 94051090

THIN TRIM COB

Deep Recessed COB

WATTAGE	LUMENS	COLORS	SHAPE	CUTOUT (mm)	CUTOUT (inch)	MRP (in Rs.)
7w	410	CW/NW/WW	R	52 mm	2.0 inch	2050/-
12w	840	CW/NW/WW	R	68 mm	2.68 inch	2740/-
18w	1260	CW/NW/WW	R	81 mm	3.19 inch	4110/-



SPECIFICATIONS

- Minimilistic trim
- Durable aluminium housing
- Metal heat sink for durable performance
- Wide voltage protection 160V - 360V
- 35,000+ Burning hours
- 36 degree beam angle.



HSN Code: 94051090

